



Certificate of Analysis

COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA41112008-002



Production Method: Other - Not Listed
Harvest/Lot ID: 102029312 / 102029313
Batch#: 102029312 / 102029313
Harvest Date: 10/02/24
Sample Size Received: 10 gram
Total Amount: 3 units
Retail Product Size: 10.8546 gram
Retail Serving Size: 10 gram
Servings: 1
Ordered: 11/06/24
Sampled: 11/12/24
Completed: 11/15/24
Sampling Method: SOP.T.20.010.FL

Nov 15, 2024 | White Lab LLC



PASSED


Pages 1 of 1

SAFETY RESULTS

								
Pesticides NOT TESTED	Heavy Metals NOT TESTED	Microbials NOT TESTED	Mycotoxins NOT TESTED	Residuals Solvents NOT TESTED	Filtration NOT TESTED	Water Activity NOT TESTED	Moisture NOT TESTED	Terpenes NOT TESTED

MISC.

 **Cannabinoid** **PASSED**



Analyzed by: 4351, 1665, 585, 1440 Weight: 10.8546g Extraction date: 11/13/24 12:18:59 Extracted by: 3335, 4351

Analysis Method : SOP.T.40.031, SOP.T.30.031 Batch Date : 11/13/24 10:05:16
 Analytical Batch : DA080041POT
 Instrument Used : DA-LC-007
 Analyzed Date : 11/15/24 09:04:43

Dilution : 400
 Reagent : 061724.01; 110424.R07; 090924.11; 071624.04; 101724.R04
 Consumables : 947.109; 20240202; CE0123; R1KB14270
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
 Lab Director

State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164



Signature
 11/15/24