



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA41112008-001



Nov 15, 2024 | White Lab LLC

 WhiteLab  
 Co-packaging & manufacturing

**PASSED**


Pages 1 of 1

### SAFETY RESULTS

Pesticides	Heavy Metals	Microbials	Mycotoxins	Residuals Solvents	Filtration	Water Activity	Moisture	Terpenes
NOT TESTED	NOT TESTED	NOT TESTED	NOT TESTED	NOT TESTED	NOT TESTED	NOT TESTED	NOT TESTED	NOT TESTED

### MISC.

	<b>Cannabinoid</b>	<b>PASSED</b>
--	--------------------	---------------



<b>Analyzed by:</b> 4351, 1665, 585, 1440 <b>Analysis Method :</b> SOP.T.40.031, SOP.T.30.031 <b>Analytical Batch :</b> DA080041POT <b>Instrument Used :</b> DA-LC-007 <b>Analyzed Date :</b> 11/15/24 09:18:12	<b>Weight:</b> 9.4554g	<b>Extraction date:</b> 11/13/24 12:18:59	<b>Extracted by:</b> 3335,4351
--	---------------------------	--	-----------------------------------

**Batch Date :** 11/13/24 10:05:16

**Dilution :** 400  
**Reagent :** 061724.01; 110424.R07; 090924.11; 071624.04; 101724.R04  
**Consumables :** 947.109; 20240202; CE0123; R1KB14270  
**Pipette :** DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation PJLA-  
 Testing 97164

  
 Signature  
 11/15/24