

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis COMPLIANCE FOR RETAIL


Kaycha Labs

. Cookie Base Matrix: Edible Type: Baked Goods



Sample:DA31107017-031 Harvest/Lot ID: M26/ 52-53-54-56-58 Batch#: M26/ 52-53-54-56-58 Batch Date: 10/03/23 Sample Size Received: 45.80 gram Total Amount: 50 gram Retail Product Size: 50 gram Sample Density: 1.0 g/mL Ordered: 11/03/23 Sampled: 11/07/23 Completed: 11/09/23 Revision Date: 11/18/23 Sampling Method: SOP.T.20.010.FL

PASSED



Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 44ER20-39 and F.S. Rule SK-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-

Testing 97164

Revision: #1 - Added LCV. Revision: #2 - Upgraded to full panel.

Signature 11/09/23



Kaycha Labs

..... Cookie Base N/A Matrix : Edible Type: Baked Goods



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

White Lab LLc

4028 North 29th Avenue Hollywood, FL, 33020, US **Telephone:** (786) 659-2694 Email: whitelabusa@gmail.com

Sample : DA31107017-031 Harvest/Lot ID: M26/ 52-53-54-56-58

Sampled : 11/07/23 Ordered : 11/07/23

Batch# : M26/ 52-53-54-56-58 Sample Size Received : 45.80 gram . Total Amount : 50 gram Completed : 11/09/23 Expires: 11/18/24 Sample Method : SOP Client Method

Page 2 of 5

R
0

Pesticides

		Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Result
		30	PASS	ND	OXAMYL		0.010	ppm	0.5	PASS	ND
					PACLOBUTRAZOL		0.010	ppm	0.1	PASS	ND
0.010	ppm				PHOSMET		0.010	maa	0.2	PASS	ND
									3	PASS	ND
											ND
0.010	ppm										ND
0.010	ppm										ND
					PYRIDABEN		0.010	ppm			ND
0.010	ppm		PASS		SPIROMESIFEN		0.010	ppm	3	PASS	ND
			PASS		SPIROTETRAMAT		0.010	ppm	3	PASS	ND
0.010	ppm	3	PASS	ND	SPIROXAMINE		0.010	ppm	0.1	PASS	ND
		3	PASS	ND	TEBUCONAZOLE		0.010	ppm	1	PASS	ND
0.010	ppm						0.010	ppm	0.1	PASS	ND
0.010	ppm	3	PASS	ND						PASS	ND
0.010	ppm	0.5	PASS	ND							ND
		0.1	PASS					The second secon			ND
0.010	ppm	3	PASS	ND		ZENE (PCNB) *					
		3	PASS	ND	PARATHION-METHYL *						ND
0.010	ppm	0.1	PASS	ND	CAPTAN *		0.070	PPM		PASS	ND
0.010	ppm	0.5	PASS	ND	CHLORDANE *		0.010	PPM	0.1	PASS	ND
0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *		0.010	PPM	0.1	PASS	ND
0.010	ppm	0.1	PASS	ND	CYFLUTHRIN *		0.050	PPM	1	PASS	ND
0.010	ppm	3	PASS	ND	CYPERMETHRIN *		0.050	PPM	1	PASS	ND
0.010	ppm	0.1	PASS	ND		Woight	Extraction	lator		Extracted by	
0.010	ppm	0.1	PASS	ND					SOP.T.40.101.		
0.010	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)		,,			(,	,
0.010	ppm	1.5	PASS	ND							
0.010	ppm	3	PASS	ND				Batch Date :	11/16/23 11:	31:05	
0.010	ppm	0.1	PASS	ND		15:31:21					
0.010	ppm	2	PASS	ND		0422 00. 111222 00	1. 111522 002	110022 002.	101022 001.	111522 001	
0.010	ppm	0.1	PASS	ND		0423.00, 111323.NU	I, IIIJZJ.RUJ	, 110925.R05,	101025.R01,	111525.R01	
0.010	ppm	2	PASS	ND		DA-219					
0.010	ppm	3	PASS	ND	Testing for agricultural agent	ts is performed utilizir	ng Liguid Chron	natography Trip	ole-Quadrupole	e Mass Spectrom	netry in
0.010	ppm	2	PASS	ND			5 1				
0.010	ppm	0.1	PASS	ND	Analyzed by:	Weight:		tion date:		Extracted by	:
0.010	ppm	1	PASS	ND							
0.010	ppm	1	PASS	ND							
0.010	ppm	2	PASS	ND							
0.010	ppm	3	PASS	ND			Ba	itch Date : 11	/10/23 11:34:	00	
0.010	ppm	0.1	PASS	ND		11.31.03					
0.010	ppm	0.1	PASS	ND		0423.08: 103123 R1	9: 103123.R20				
0.010	ppm	0.1	PASS	ND	Consumables : 326250IW:		., _00120.020				
0.010	ppiii										
0.010		3	PASS	ND	Pipette : DA-080; DA-146;						
		LOD Units O(10) ppm O(10)	Level 0.010 ppm 30 0.010 ppm 3 0.010 ppm 1 0.010 ppm 1 0.010 ppm 3 0.010 ppm 0.1 0.010 ppm 3 0.010 ppm 3 0.010 ppm 0.1 0.010 ppm 3 0.010 ppm 3 0.010 ppm 3 0.010 ppm	Level 0.010 ppm 30 PASS 0.010 ppm 1 PASS 0.010 ppm 1 PASS 0.010 ppm 1 PASS 0.010 ppm 1 PASS 0.010 ppm 3 PASS 0.010 ppm 0.5 PASS 0.010 ppm 0.1 PASS	Level 0.010 ppm 30 PASS ND 0.010 ppm 1 PASS ND 0.010 ppm 3 PASS ND 0.010 ppm 1 PASS ND 0.010 ppm 3 PASS ND 0.010 ppm 3 PASS ND 0.010 ppm 3 PASS ND 0.010 ppm 0.5 PASS ND 0.010 ppm 0.5 PASS ND 0.010 ppm 0.1 PASS ND 0.010 ppm 0.1 PASS ND 0.010 ppm 0.1 PASS ND 0.010 ppm 0.1	Level PASS ND OXAMYL 0.010 ppm 30 PASS ND PACLOBUTRAZOL 0.010 ppm 1 PASS ND PACLOBUTRAZOL 0.010 ppm 1 PASS ND PHOSMET 0.010 ppm 3 PASS ND PHOSMET 0.010 ppm 3 PASS ND PROPICONAZOLE 0.010 ppm 0.3 PASS ND PROPOXUR 0.010 ppm 0.3 PASS ND PROPOXUR 0.010 ppm 3 PASS ND SPIROMESIFEN 0.010 ppm 3 PASS ND SPIROMESIFEN 0.010 ppm 3 PASS ND SPIROMESIFEN 0.010 ppm 3 PASS ND SPIROXAMINE 0.010 ppm 3 PASS ND THIACLORNID 0.010 ppm 0.5 PASS ND THIACLORNITROBEN 0.010 ppm 0.1 PASS ND THIACLORNITROBEN <	Level Control 0.010 ppm 30 PASS ND OXAMYL 0.010 ppm 1 PASS ND PACLOBUTRAZOL 0.010 ppm 1 PASS ND PHOSMET 0.010 ppm 1 PASS ND PHORONYL BUTOXIDE 0.010 ppm 3 PASS ND PROPICONAZOLE 0.010 ppm 3 PASS ND PROPICONAZOLE 0.010 ppm 3 PASS ND SPIROMESIFEN 0.010 ppm 3 PASS ND THIACLOPRID 0.010 ppm 3 PASS ND THIACLOPRID 0.010 ppm 3 PASS ND THIACLO	Level OXAMYL 0.010 0.010 ppm 30 PASS ND OXAMYL 0.010 0.010 ppm 1 PASS ND PACLOBUTRAZOL 0.010 0.010 ppm 1 PASS ND PHOSMET 0.010 0.010 ppm 3 PASS ND PHOSMET 0.010 0.010 ppm 3 PASS ND PROPICONAZOLE 0.010 0.010 ppm 3 PASS ND PROPICONAZOLE 0.010 0.010 ppm 3 PASS ND PROPICONAZOLE 0.010 0.010 ppm 3 PASS ND SPIROMESIFEN 0.010 0.010 ppm 3 PASS ND SPIROMESIFEN 0.010 0.010 ppm 3 PASS ND SPIROMESIFEN 0.010 0.010 ppm 3 PASS ND THIACLOPRID 0.010 0.010 ppm 0.5 PASS ND THIACLOPRID 0.010 0.010 ppm <t< td=""><td>Level Control <thcontrol< th=""> <thcontrol< th=""> <thcon< td=""><td>Level OXAMYL O.010 ppm O.5 0.010 ppm 30 PASS<nd< td=""> PACLOBUTRAZOL 0.010 ppm 0.5 0.010 ppm 1 PASS<nd< td=""> PACLOBUTRAZOL 0.010 ppm 0.2 0.010 ppm 1 PASS<nd< td=""> PHOSNET 0.010 ppm 0.2 0.010 ppm 3 PASS<nd< td=""> PROPEONYL BUTOXIDE 0.010 ppm 0.4 0.010 ppm 3 PASS<nd< td=""> PROPICONAZOLE 0.010 ppm 0.4 0.010 ppm 3 PASS<nd< td=""> PROPICONAZOLE 0.010 ppm 0.1 0.010 ppm 3 PASS<nd< td=""> PROPICONAZOLE 0.010 ppm 3 0.010 ppm 3 PASS<nd< td=""> PROPICONAZOLE 0.010 ppm 3 0.010 ppm 3 PASS<nd< td=""> SPIROXMINE 0.010 ppm 3 0.010 ppm 3 PASS<nd< td=""> SPIROXMINE 0.010 ppm 1 0.010 ppm 3 PASS<nd< td=""> THIACLOPRID 0.010 ppm 1 0.010 ppm 3 PASS<nd< td=""> <</nd<></nd<></nd<></nd<></nd<></nd<></nd<></nd<></nd<></nd<></nd<></nd<></td><td>Level Control Description <thdescription< th=""> <thdescription< th=""> <thdescri< td=""></thdescri<></thdescription<></thdescription<></td></thcon<></thcontrol<></thcontrol<></td></t<>	Level Control Control <thcontrol< th=""> <thcontrol< th=""> <thcon< td=""><td>Level OXAMYL O.010 ppm O.5 0.010 ppm 30 PASS<nd< td=""> PACLOBUTRAZOL 0.010 ppm 0.5 0.010 ppm 1 PASS<nd< td=""> PACLOBUTRAZOL 0.010 ppm 0.2 0.010 ppm 1 PASS<nd< td=""> PHOSNET 0.010 ppm 0.2 0.010 ppm 3 PASS<nd< td=""> PROPEONYL BUTOXIDE 0.010 ppm 0.4 0.010 ppm 3 PASS<nd< td=""> PROPICONAZOLE 0.010 ppm 0.4 0.010 ppm 3 PASS<nd< td=""> PROPICONAZOLE 0.010 ppm 0.1 0.010 ppm 3 PASS<nd< td=""> PROPICONAZOLE 0.010 ppm 3 0.010 ppm 3 PASS<nd< td=""> PROPICONAZOLE 0.010 ppm 3 0.010 ppm 3 PASS<nd< td=""> SPIROXMINE 0.010 ppm 3 0.010 ppm 3 PASS<nd< td=""> SPIROXMINE 0.010 ppm 1 0.010 ppm 3 PASS<nd< td=""> THIACLOPRID 0.010 ppm 1 0.010 ppm 3 PASS<nd< td=""> <</nd<></nd<></nd<></nd<></nd<></nd<></nd<></nd<></nd<></nd<></nd<></nd<></td><td>Level Control Description <thdescription< th=""> <thdescription< th=""> <thdescri< td=""></thdescri<></thdescription<></thdescription<></td></thcon<></thcontrol<></thcontrol<>	Level OXAMYL O.010 ppm O.5 0.010 ppm 30 PASS <nd< td=""> PACLOBUTRAZOL 0.010 ppm 0.5 0.010 ppm 1 PASS<nd< td=""> PACLOBUTRAZOL 0.010 ppm 0.2 0.010 ppm 1 PASS<nd< td=""> PHOSNET 0.010 ppm 0.2 0.010 ppm 3 PASS<nd< td=""> PROPEONYL BUTOXIDE 0.010 ppm 0.4 0.010 ppm 3 PASS<nd< td=""> PROPICONAZOLE 0.010 ppm 0.4 0.010 ppm 3 PASS<nd< td=""> PROPICONAZOLE 0.010 ppm 0.1 0.010 ppm 3 PASS<nd< td=""> PROPICONAZOLE 0.010 ppm 3 0.010 ppm 3 PASS<nd< td=""> PROPICONAZOLE 0.010 ppm 3 0.010 ppm 3 PASS<nd< td=""> SPIROXMINE 0.010 ppm 3 0.010 ppm 3 PASS<nd< td=""> SPIROXMINE 0.010 ppm 1 0.010 ppm 3 PASS<nd< td=""> THIACLOPRID 0.010 ppm 1 0.010 ppm 3 PASS<nd< td=""> <</nd<></nd<></nd<></nd<></nd<></nd<></nd<></nd<></nd<></nd<></nd<></nd<>	Level Control Description Description <thdescription< th=""> <thdescription< th=""> <thdescri< td=""></thdescri<></thdescription<></thdescription<>

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 44ER20-39 and F.S. Rule SK-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

//2

Revision: #1 - Added LCV. Revision: #2 - Upgraded to full panel.

Signature 11/09/23



4131 SW 47th AVENUE SUITE 1408

Kaycha Labs

..... Cookie Base N/A Matrix : Edible Type: Baked Goods

Page 3 of 5



PASSED

PASSED

Certificate of Analysis

White Lab LLc

4028 North 29th Avenue Hollywood, FL, 33020, US **Telephone:** (786) 659-2694 Email: whitelabusa@gmail.com

DAVIE, FL, 33314, US (954) 368-7664

> Sample : DA31107017-031 Harvest/Lot ID: M26/ 52-53-54-56-58 Sampled : 11/07/23 Ordered : 11/07/23

Batch# : M26/ 52-53-54-56-58 Sample Size Received : 45.80 gram . Total Amount : 50 gram Completed : 11/09/23 Expires: 11/18/24 Sample Method : SOP Client Method



Residual Solvents

Solvents		LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE		0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE		0.200	ppm	2	PASS	ND
ACETONE		75.000	ppm	750	PASS	ND
DICHLOROMETHANE		12.500	ppm	125	PASS	ND
BENZENE		0.100	ppm	1	PASS	ND
2-PROPANOL		50.000	ppm	500	PASS	ND
CHLOROFORM		0.200	ppm	2	PASS	ND
ETHANOL		500.000	ppm	5000	PASS	ND
ETHYL ACETATE		40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)		500.000	ppm	5000	PASS	ND
ACETONITRILE		6.000	ppm	60	PASS	ND
ETHYL ETHER		50.000	ppm	500	PASS	ND
ETHYLENE OXIDE		0.500	ppm	5	PASS	ND
IEPTANE		500.000	ppm	5000	PASS	ND
METHANOL		25.000	ppm	250	PASS	ND
N-HEXANE		25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)		75.000	ppm	750	PASS	ND
TOLUENE		15.000	ppm	150	PASS	ND
TOTAL XYLENES		15.000	ppm	150	PASS	ND
PROPANE		500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE		2.500	ppm	25	PASS	ND
analyzed by: 50, 585	Weight: 0.0251g		Extraction date: 11/17/23 11:52:15			Extracted by: 850
Analysis Method : SOP.T.40.041.FL Analytical Batch : DA066486SOL Instrument Used : DA-GCMS-003 Analyzed Date : 11/16/23 15:05:56				Dn : 11/17/23 13:32:29 : 11/16/23 14:58:58		
Dilution : 1 Reagent : N/A						

Consumables : N/A Pipette : N/A

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 44ER20-39 and F.S. Rule SK-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

1/2

Revision: #1 - Added LCV. Revision: #2 - Upgraded to full panel.



Kaycha Labs

..... Cookie Base N/A Matrix : Edible Type: Baked Goods



PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

White Lab LLc

4028 North 29th Avenue Hollywood, FL, 33020, US **Telephone:** (786) 659-2694 Email: whitelabusa@gmail.com Sample : DA31107017-031 Harvest/Lot ID: M26/ 52-53-54-56-58 Batch# : M26/ 52-53-54-56-58 Sample Size Received : 45.80 gram Total Amount : 50 gram Sampled : 11/07/23

Ordered : 11/07/23 Completed : 11/09/23 Expires: 11/18/24 Sample Method : SOP Client Method

Page 4 of 5

Ę	Micro	bial				PAS	SED	သို့	Μ	lycoto	xins	5			PAS	SED
Analyte			LOD	Units	Result	Pass / Fail	Action Level	Analyte				LOD	Units	Result	Pass / Fail	Action Level
SALMONELL	A SPECIFIC GE	NE			Not Present	PASS	Level	AFLATOXIN	32			0.002	ppm	ND	PASS	0.02
ECOLI SHIGE					Not Present	PASS		AFLATOXIN				0.002	ppm	ND	PASS	0.02
ASPERGILLU	S FLAVUS				Not Present	PASS		OCHRATOXI	A			0.002	ppm	ND	PASS	0.02
ASPERGILLU	S FUMIGATUS				Not Present	PASS		AFLATOXIN	G1			0.002	ppm	ND	PASS	0.02
ASPERGILLU	S TERREUS				Not Present	PASS		AFLATOXIN	G2			0.002	ppm	ND	PASS	0.02
ASPERGILLU TOTAL YEAS	S NIGER T AND MOLD		10	CFU/g	Not Present <10	PASS PASS	100000	Analyzed by: 585, 3379		Weight: 0.931g		tion date: 23 17:40:2	27		tracted b 0,585	y:
Analyzed by: 8621, 3390, 58		ight: 352g		tion date: 23 12:15:1	1	Extracted b 3336,3621	у:			P.T.30.101.FL vie), SOP.T.40.			.40.101.FL	. (Gainesvi	lle),	
	od:SOP.T.40.05 h:DA066481M		40.058	.FL, SOP.T.		wed On : 11	/17/23	Analytical Bate Instrument Us Analyzed Date	ed : N//	Δ.				1/18/23 13 16/23 16:3		
sotemp Heat I Analyzed Date Dilution : N/A Reagent : 0831	orand Isotemp H Block DA-021 : 11/16/23 13:4 123.131; 10232: 7566004014; 7	5:49 3.R20; 081	.023.07					accordance wit	93; DA	-094; DA-219 izing Liquid Chro ule 64ER20-39.			e-Quadrupo			
Analyzed by: 3621, 3336, 58		ight: 352g		tion date: 23 12:15:1	1	Extracted b 3336,3621	y:	Hg	Н	eavy l	чета	ais		l	PAS	SEL
Analytical Bate	d: SOP.T.40.20 h: DA066485T	ſΜ		Revi	ewed On : 11/1			Metal				LOD	Units	Result	Pass / Fail	Action Level
	ed : Incubator (2 : 11/16/23 14:0		-090	ватс	h Date : 11/16	23 13:47:50	D	TOTAL CONT		ANT LOAD MI	TALS	0.080	ppm	ND	PASS	5
Dilution : N/A								ARSENIC				0.020	ppm	ND	PASS	1.5
	123.131; 10172	3.R10						CADMIUM				0.020	ppm	ND	PASS	0.5
Consumables :	N/A							MERCURY				0.020	ppm	ND	PASS	3
Pipette : N/A								LEAD				0.020	ppm	ND	PASS	0.5
	mold testing is pe F.S. Rule 64ER20		izing MPI	N and tradition	onal culture base	d techniques	i in	Analyzed by: 1022, 585		Weight: 0.2574g		tion date: 23 13:25:	53		racted by 22,4306	r:
								Analysis Metho Analytical Bato Instrument Us Analyzed Date	h:DA ed:DA	-ICPMS-004	SOP.T.40	Review		/17/23 15: 6/23 10:28		
								Dilution : 50				000.1110				

Reagent: 102723.R12; 111023.R05; 110123.R33; 111023.R03; 111023.R04; 110123.R34; 110123.49: 111023.R06 Consumables : 179436; 210508058; 12594-247CD-247C

Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 44ER20-39 and F.S. Rule SK-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

///

Revision: #1 - Added LCV. Revision: #2 - Upgraded to full panel.

Signature 11/09/23

Revision: #2 This revision supersedes any and all previous versions of this document.



4131 SW 47th AVENUE SUITE 1408

DAVIE, FL, 33314, US (954) 368-7664

White Lab LLc

4028 North 29th Avenue Hollywood, FL, 33020, US **Telephone:** (786) 659-2694

Email: whitelabusa@gmail.com

Kaycha Labs

..... Cookie Base N/A Matrix : Edible Type: Baked Goods

Page 5 of 5



PASSED

Certificate of Analysis Sample : DA31107017-031 Harvest/Lot ID: M26/ 52-53-54-56-58

Batch# : M26/ 52-53-54-56-58 Sample Size Received : 45.80 gram Sampled : 11/07/23 Total Amount : 50 gram Ordered : 11/07/23 Completed : 11/09/23 Expires: 11/18/24 Sample Method : SOP Client Method

SED

	Filth/Foreign Material	PAS

Analyte	LOD	Units	Result	P/F	Action Level		
Filth and Foreign Ma	0.100	%	ND	PASS			
Analyzed by:	Ex	traction d	date: Extracted by:				
1879, 585	N/	A	N/A				
Analysis Method : SOP.7 Analytical Batch : DA06 Instrument Used : Filth/ Analyzed Date : 11/16/2	6493FIL Foreign Mater	ial Micro	oscope			5/23 20:03:42 23 19:32:09	
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A							

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 44ER20-39 and F.S. Rule SK-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino





Signature 11/09/23