



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA31121009-001
Harvest/Lot ID: SHOT261
Batch#: SHOT261

Sample Size Received: 12 gram
Total Amount: 12 gram
Retail Product Size: 12 gram
Ordered: 11/20/23
Sampled: 11/21/23
Completed: 11/22/23

Sampling Method: SOP.T.20.010.FL

PASSED

Nov 22, 2023 | White Lab LLC

4028 North 29th Avenue
Hollywood, FL, 33020, US



Pages 1 of 1

PRODUCT IMAGE




SAFETY RESULTS

								
Pesticides NOT TESTED	Heavy Metals NOT TESTED	Microbials NOT TESTED	Mycotoxins NOT TESTED	Residuals Solvents NOT TESTED	Filtration NOT TESTED	Water Activity NOT TESTED	Moisture NOT TESTED	Terpenes NOT TESTED

MISC.

	Cannabinoid	PASSED
--	--------------------	---------------



Analyzed by: 1665, 585, 1440	Weight: 3.0557g	Extraction date: 11/21/23 11:48:18	Extracted by: 1665
---------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.031, SOP.T.30.031
 Analytical Batch : DA066620POT
 Instrument Used : DA-LC-007
 Analyzed Date : 11/21/23 11:49:35

Reviewed On : 11/22/23 14:44:50
 Batch Date : 11/21/23 08:21:22

Dilution : 40
 Reagent : 111423.R05; 071222.01; 110723.R05
 Consumables : 280670723; CE0123; R1KB14270
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164



Signature
11/22/23